

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(access\$4 with (data record file) with (trust\$4 secur\$4) with database and (receiv\$4 send\$4) with (request query) with (data record file) with (encod\$4 obfuscat\$4 encrypt\$4) and (pre\$defin\$4 pre\$determin\$4) with (query request)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:01
L2	7	"707"/\$.ccls. and obfuscat\$4 and de\$obfuscat\$4 and (obfuscat\$4 de\$obfuscat\$4) with format\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:11
L3	2	"707"/\$.ccls. and (obfuscat\$4 and de\$obfuscat\$4 and (obfuscat\$4 de\$obfuscat\$4) with format\$4).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:03
L4	1	(access\$4 with crystal with key with (giv\$4 grant\$4 provid\$4) and software).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:04
L5	2	(obfuscat\$4 and de\$obfuscat\$4 and (obfuscat\$4 de\$obfuscat\$4) with format\$4).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:04
L6	9	david near4 justin near4 ross.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:04
L7	51	jack near3 love.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:04
L8	6	stephen near4 billester.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:04
L9	39	brent near3 smith.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:04
L10	2	(L6 L7 L8 L9) and key near3 crystal. clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:04

EAST Search History

L11	9	access\$4 with (data record file) with (trust\$4 secur\$4) with database and (receiv\$4 send\$4) with (request query) with (data record file) with (encod\$4 obfuscat\$4 encrypt\$4) and (pre\$defin\$4 pre\$determin\$4) with (query request) and access\$4 and (deobfuscat\$4 decompress\$4 decode decrypt\$4) and (return\$4 transmit\$4 send\$4 display\$4) with (result response answer) and key and second near3 (query request) and (iterator program code module) with (access\$4 encrypt\$4 decrypt\$4) and (permission authori\$6) with key and correlat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:06
L12	0	access\$4 with (data record file) with (trust\$4 secur\$4) with database and (receiv\$4 send\$4) with (request query) with (data record file) with (encod\$4 obfuscat\$4 encrypt\$4) and (pre\$defin\$4 pre\$determin\$4) with (query request) and access\$4 and (deobfuscat\$4 decompress\$4 decode decrypt\$4) and (return\$4 transmit\$4 send\$4 display\$4) with (result response answer) and key and second near3 (query request) and (iterator program code module) with (access\$4 encrypt\$4 decrypt\$4) and (permission authori\$6) with key and correlat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:06
L13	0	access\$4 with (data record file) with (trust\$4 secur\$4) with database and (receiv\$4 send\$4) with (request query) with (data record file) with (encod\$4 obfuscat\$4 encrypt\$4) and (pre\$defin\$4 pre\$determin\$4) with (query request) and access\$4 and (deobfuscat\$4 decompress\$4 decode decrypt\$4) and (return\$4 transmit\$4 send\$4 display\$4) with (result response answer) and key and second near3 (query request) and (iterator program code module) with (access\$4 encrypt\$4 decrypt\$4) and (permission authori\$6) with key and correlat\$4 and itertor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:06

EAST Search History

L14	0	access\$4 with (data record file) with (trust\$4 secur\$4) with database and (receiv\$4 send\$4) with (request query) with (data record file) with (encod\$4 obfuscat\$4 encrypt\$4) and (pre\$defin\$4 pre\$determin\$4) with (query request) and access\$4 and (deobfuscat\$4 decompress\$4 decode decrypt\$4) and (return\$4 transmit\$4 send\$4 display\$4) with (result response answer) and key and second near3 (query request) and (iterator program code module) with (access\$4 encrypt\$4 decrypt\$4) and (permission authori\$6) with key and correlat\$4 and iterator	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:06
L15	315	iterator with access\$4 and (quer\$4 request\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:07
L16	63	obfuscat\$4 and de\$obfuscat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:11
L17	2	L15 and L16 and crystal	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:07
L18	5	707/9.ccls. and obfuscat\$4 and de\$obfuscat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:12
L19	15	"707"/\$.ccls. and obfuscat\$4 and de\$obfuscat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:12
L20	2	access\$4 with (data record file) with (trust\$4 secur\$4) with database and (receiv\$4 send\$4) with (request query) with (data record file) with (encod\$4 obfuscat\$4 encrypt\$4) and (pre\$defin\$4 pre\$determin\$4) with (query request) and access\$4 and (deobfuscat\$4 decompress\$4 decode decrypt\$4) and (return\$4 transmit\$4 send\$4 display\$4) with (result response answer) and key and second near3 (query request) and (iterator program code module) with (access\$4 encrypt\$4 decrypt\$4) and (authori\$6 with key) same stor\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/08/10 11:18